

| EMS POLICY                                       | 205        |
|--|------------|
| Effective:                                       | April 2025 |
| Approval: EMS Director  Travis Kusman, MPH       | Signed:    |
| Approval: EMS Medical Director  Greg Gilbert, MD | Signed:    |

# EMERGENCY AMBULANCE AND FIRST RESPONSE UNIT STANDARDS

## I. PURPOSE

This policy establishes requirements for emergency ambulance and first responder staffing, medications, equipment, and supplies for emergency ambulances, first responder apparatus, and EMS supervisor vehicles. This policy further defines restocking requirements of medications, medical supplies, and equipment.

## II. AUTHORITY

California Health and Safety Code, Division 2.5, §1797.220, 1798

#### III. DEFINITIONS

Advanced Life Support ("ALS") Ambulance [or "Paramedic Ambulance"]: An ambulance authorized by LEMSA to provide ALS emergency services within San Mateo County.

Advanced Life Support ("ALS") First Responder Unit ("FRU"): A first responder unit authorized by LEMSA to provide ALS emergency services within San Mateo County.

<u>Basic Life Support ("BLS") Ambulance</u>: An ambulance authorized by LEMSA to provide BLS emergency services within San Mateo County.

Basic Life Support ("BLS") First Responder Unit ("FRU"): A first responder authorized by LEMSA to provide BLS emergency services within San Mateo County.

<u>Emergency Medical Services Agency ("LEMSA") [or "Agency"]</u>: The San Mateo County EMS Agency is designated as the Local Emergency Medical Services Agency (LEMSA) and is statutorily charged with primary responsibility for administration and medical control of emergency medical services in San Mateo County.

## **IV. STAFFING REQUIREMENTS**

- A. Each ALS ambulance shall be staffed with a minimum of one currently licensed and LEMSA accredited paramedic and one currently California certified EMT.
- B. Each ALS first responder apparatus shall be staffed with a minimum of two personnel, at least one of whom is a currently licensed and LEMSA accredited paramedic.

- C. Each BLS first responder apparatus shall be staffed with a minimum of two personnel, at least one of whom is a currently California certified EMT.
- D. Each EMS Supervisor vehicle shall be staffed with a minimum of one currently licensed and accredited paramedic approved by the LEMSA to function in a supervisory capacity.

## V. MEDICATION REQUIREMENTS

The following medications are authorized at minimum levels to be carried on all San Mateo County emergency ambulances, first response units, and EMS Supervisor units.

## VI. MEDICAL SUPPLIES AND EQUIPMENT

The following equipment is authorized at minimum levels to be carried on all San Mateo County emergency ambulances, first response units, and EMS Supervisor vehicles.

| Medication   | BLS Ambulance | ALS Ambulance | BLS FRU  | ALS FRU  | EMS Supervisor |
|--|---------------|---------------|----------|----------|----------------|
| Acetaminophen (IV)                                 | n/o           | 2 ~           | n/a      | 1 a      | 1 a            |
| 1 g/ 100 ml bag                                    | n/a           | 2 g           | n/a      | 1 g      | 1 g            |
| Adenosine  | n/a           | 36 mg         | n/a      | 18 mg    | 18 mg          |
| Albuterol 0.83% solution                           | n/a           | 8 vials       | n/a      | 4 vials  | 4 vials        |
| Aspirin (81 mg tablets)                            | 1 bottle      | 2 bottles     | 1 bottle | 1 bottle | 1 bottle       |
| Atropine 1mg preload                               | n/a           | 2 mg          | n/a      | 1 mg     | 1 mg           |
| Atropine multi-dose vial (single patient use only) | n/a           | 1 bottle      | n/a      | 1 bottle | 1 bottle       |
| Calcium Chloride 1 g preload                       | n/a           | 2 g           | n/a      | 1 g      | 1 g            |
| Dextrose 10% (25 g/250 ml)<br>250 ml premixed bag  | n/a           | 50 g          | n/a      | 25 g     | 25 g           |
| Diphenhydramine 50 mg/1 ml                         | n/a           | 100 mg        | n/a      | 100 mg   | 100 mg         |
| Dopamine 400 mg/250 ml premixed bag                | n/a           | 2 bags        | n/a      | 2 bags   | 2 bags         |
| EpiPen (adult)                                     | 1             | n/a           | 1        | n/a      | n/a            |
| EpiPen Jr. (pediatric)                             | 1             | n/a           | 1        | n/a      | n/a            |
| Epinephrine 1:1,000<br>(1 mg/1 ml) vial            | n/a           | 12 mg         | n/a      | 6 mg     | 6 mg           |
| Epinephrine 1: 10,000<br>(1 mg/10 ml) preload      | n/a           | 8 mg          | n/a      | 4 mg     | 4 mg           |
| Fentanyl (50 mcg/1 ml) vial                        | n/a           | 200 mcg       | n/a      | 100 mcg  | 100 mcg        |
| Glucagon 1 mg vial                                 | n/a           | 2 mg          | n/a      | 1 mg     | 1 mg           |
| Glucose - oral                                     | 2 doses       | 2 doses       | 1 dose   | 1 dose   | 1 dose         |
| Lidocaine (100 mg/5 ml)<br>preload                 | n/a           | 400 mg        | n/a      | 200 mg   | 200 mg         |
| Midazolam (5 mg/1 ml) vial                         | n/a           | 20 mg         | n/a      | 10 mg    | 10 mg          |
| Ondansetron (4 mg/ 2 ml) vial                      | n/a           | 16 mg         | n/a      | 8 mg     | 8 mg           |
| Ondansetron 4 mg tablet                            | n/a           | 16 mg         | n/a      | 8 mg     | 8 mg           |
| Naloxone (2 mg/2 ml) preload                       | 8 mg          | 8 mg          | 4 mg     | 4 mg     | 4 mg           |
| Naloxone M.A.T. leave behind*                      | n/a           | 2 mg          | n/a      | 2 mg     | 2 mg           |
| Nitroglycerine tablets                             | n/a           | 2 bottles     | n/a      | 1 bottle | 1 bottle       |
| Sodium Bicarbonate<br>(1 mEq/1 ml) preload         | n/a           | 100 mEq       | n/a      | 100 mEq  | 100 mEq        |
| Suboxone*  | n/a           | 24 mg         | n/a      | 24 mg    | 24 mg          |
| IV Fluids  | BLS Ambulance | ALS Ambulance | BLS FRU  | ALS FRU  | EMS Supervisor |
| Normal Saline 1,000 ml bag                         | n/a           | 6,000 ml      | n/a      | 1,000 ml | 1,000 ml       |

<sup>\*</sup>ALS units may temporarily operate without buprenorphine and leave behind naloxone while waiting to be restocked by an EMS supervisor.



| Personal Protective Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU      | ALS FRU      | EMS Supervisor |
|---|---------------|---------------|--------------|--------------|----------------|
| Latex-free exam gloves  | 2 boxes       | 2 boxes       | 1 box        | 1 box        | 1 box          |
| Isolation gown  | 1 per person  | 1 per person  | 1 per person | 1 per person | 1 per person   |
| Isolation mask (surgical)   | 1 per person  | 1 per person  | 1 per person | 1 per person | 1 per person   |
| Medical waste bag (red)   | 2             | 2             | 1            | 1            | 1              |
| N95 or P100 mask  | 1 per person  | 1 per person  | 1 per person | 1 per person | 1 per person   |
| Eye protection  | 1 per person  | 1 per person  | 1 per person | 1 per person | 1 per person   |
| Airway Management Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU      | ALS FRU      | EMS Supervisor |
| Airtraq A-390 device  | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Airtraq blade (size 2, 3)   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Laryngoscope handle (adult, pediatric   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Adult blade (straight 3, 4)   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Adult blade (curved 3, 4)   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Pediatric blade (straight 0,1,2)  | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| Pediatric blade (curved 1, 2)   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| ET tubes (sizes 6.0 – 8.0)  | n/a           | 2 each        | n/a          | 1 each       | 1 each         |
| ETTI (Bougie)   | n/a           | 2 each        | n/a          | 1 each       | 1 each         |
| Bacterial/ viral BVM filter   | 1 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| ETT holder (tube tamer)   | n/a           | 2 each        | n/a          | 1 each       | 1 each         |
| i-gel airway (size 3, 4, 5)   | 1 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Magill forceps (adult, pediatric)   | n/a           | 1 each        | n/a          | 1 each       | 1 each         |
| CPAP devices (S, M, L)  | 1 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| EtCO <sub>2</sub> device (ETT)  | n/a           | 2 each        | n/a          | 1 each       | 1 each         |
| EtCO <sub>2</sub> device (nasal)  | n/a           | 2 each        | n/a          | 1 each       | 1 each         |
| CO monitoring device  | n/a           | n/a           | n/a          | n/a          | 1 each         |
| Powered portable suction  | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| Suction catheters (sizes 6, 8, 10, 14, 16)  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Suction catheter (rigid tip)  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Suction tubing  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Nasal airways (sizes 28, 30, 32, 34)  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Oral airways (sizes 50 mm – 120 mm)   | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| BVM mask only (infant)  | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| BVM with mask (adult and pediatric)   | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Nasal cannula (adult)   | 4 each        | 4 each        | 1 each       | 1 each       | 1 each         |
| Nasal cannula (pediatric)   | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Non-rebreather mask (adult)   | 4 each        | 4 each        | 2 each       | 2 each       | 2 each         |
| Oxygen mask (pediatric)   | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Handheld nebulizer kit  | 1 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Water-based lubricant   | n/a           | 4 each        | n/a          | 2 each       | 2 each         |
| 10g 3.25" spear with vent valve   | n/a           | 2 each        | n/a          | 2 each       | 2 each         |
| Portable oxygen with regulator (must be sufficient to provide patient with not less than 10 L/min for 20 minutes) | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |



| Patient Assessment and Exam Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU | ALS FRU | EMS Supervisor |
|---|---------------|---------------|---------|---------|----------------|
| Pen light   | 2 each        | 2 each        | 1 each  | 1 each  | 1 each         |
| Glucometer and test strips  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Stethoscope   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Pediatric Broselow tape   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Portable blood pressure cuff (adult, thigh, pediatric)  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Pulse oximeter (adult, pediatric)   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Thermometer   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Cardiac Monitoring Equipment  | BLS Ambulance | ALS Ambulance | BLS FRU | ALS FRU | EMS Supervisor |
| AED/defibrillator with pads   | 1 each        | n/a           | 1 each  | n/a     | n/a            |
| Metronome   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Portable biphasic cardiac monitor/defibrillator with 12-Lead and transmission capabilities and EtCO <sub>2</sub> waveform capnography (County approved) | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| ECG paper (roll)  | n/a           | 2 each        | n/a     | 2 each  | 2 each         |
| Adult electrodes (sets)   | n/a           | 2 each        | n/a     | 1 each  | 1 each         |
| Adult defib pads  | 2 each        | 2 each        | 1 each  | 1 each  | 1 each         |
| Pediatric defib pads  | 2 each        | 2 each        | 1 each  | 1 each  | 1 each         |
| Cardiac monitor trunk cable   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Cardiac monitor 12-Lead ECG cable   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Cardiac monitor 4-Lead precordial lead cable  | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Prep razor  | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Vascular Access Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU | ALS FRU | EMS Supervisor |
| Infusion set (macro drip)   | n/a           | 6 each        | n/a     | 1 each  | 1 each         |
| Infusion set (micro drip)   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| 3-way stop-cock   | n/a           | 2 each        | n/a     | 1 each  | 1 each         |
| Saline lock   | n/a           | 6 each        | n/a     | 2 each  | 2 each         |
| Syringes (1, 3, 10, 60 ml)  | n/a           | 4 each        | n/a     | 2 each  | 2 each         |
| IV catheters (14, 16, 18, 20, 22, 24 g)   | n/a           | 4 each        | n/a     | 2 each  | 2 each         |
| Needles for injection (23 g 1" and 21 g 1.5")   | n/a           | 2 each        | n/a     | 2 each  | 2 each         |
| Intraosseous driver   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| IO needles (yellow, pink, blue) with tubing   | n/a           | 2 each        | n/a     | 1 each  | 1 each         |
| Alcohol wipes   | n/a           | 10 each       | n/a     | 10 each | 10 each        |
| Betadine wipes  | n/a           | 6 each        | n/a     | 6 each  | 6 each         |
| IV tourniquets  | n/a           | 2 each        | n/a     | 2 each  | 2 each         |
| Pressure infuser for 1,000 ml IV bags   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |
| Portable sharps container   | n/a           | 1 each        | n/a     | 1 each  | 1 each         |



| Bandaging and Splinting Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU      | ALS FRU      | EMS Supervisor |
|---|---------------|---------------|--------------|--------------|----------------|
| Pediatric immobilization device   | 1 each        | 1 each        | 1 each       | 1 each       | n/a            |
| KED-type device   | 1 each        | 1 each        | n/a          | n/a          | n/a            |
| Sterile burn sheet  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Head immobilizer  | 2 each        | 2 each        | 2 each       | 2 each       | n/a            |
| Tape (1", 2" rolls)   | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| Arm board (short, long)   | 1 each        | 1 each        | n/a          | n/a          | n/a            |
| Cold packs  | 2 each        | 2 each        | 2 each       | 2 each       | 2 each         |
| Hot packs   | 4 each        | 4 each        | 4 each       | 4 each       | 4 each         |
| Restraints (set)  | 1 each        | 1 each        | n/a          | n/a          | n/a            |
| Irrigation solution<br>500 ml sterile saline  | 2 each        | 2 each        | n/a          | n/a          | n/a            |
| Irrigation solution 500 ml sterile water  | 2 each        | 2 each        | n/a          | n/a          | n/a            |
| OB kit that includes gloves,<br>umbilical cord clamp/tape,<br>dressings, towel, bulb syringe,<br>medical waste bags, ID bands | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| Sterile 5"x9" bandage   | 12 each       | 12 each       | 4 each       | 4 each       | 4 each         |
| Petroleum gauze pads  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Gauze pads (4"x4")  | 12 each       | 12 each       | 4 each       | 4 each       | 4 each         |
| Universal dressing (10"x30")  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Triangular bandage (40")  | 2 each        | 2 each        | 2 each       | 2 each       | 2 each         |
| Rolled bandage (Kerlix)   | 6 each        | 6 each        | 2 each       | 2 each       | 2 each         |
| Trauma shears   | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| Extremity traction splint   | 1 each        | 1 each        | 1 each       | 1 each       | n/a            |
| Cervical collar (rigid) to fit all patients > 1 year  | 2 each        | 2 each        | 1 each       | 1 each       | 1 each         |
| Medium vacuum splint (disposable)   | 2 each        | 2 each        | 1 each       | 1 each       | n/a            |
| Cardboard splint (arm, leg)   | 1 each        | 1 each        | 1 each       | 1 each       | n/a            |
| Rigid SAM-type splint   | 2 each        | 2 each        | 2 each       | 2 each       | 2 each         |
| Spinal immobilization device (backboard)  | 1 each        | 1 each        | 1 each       | 1 each       | n/a            |
| Spinal immobilization straps  | 2 each        | 2 each        | 1 each       | 1 each       | n/a            |
| Communication Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU      | ALS FRU      | EMS Supervisor |
| Cellular telephone  | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |
| Mobile two-way EMS radio installed in vehicle   | 1 each        | 1 each        | n/a          | n/a          | 1 each         |
| Portable two-way EMS/ fire radio for each crew member   | 1 per person  | 1 per person  | 1 per person | 1 per person | 1 per person   |
| Mobile or portable two-way fire radio   | 1 each        | 1 each        | 1 each       | 1 each       | 1 each         |



| Miscellaneous Equipment   | BLS Ambulance | ALS Ambulance | BLS FRU | ALS FRU | EMS Supervisor |
|---|---------------|---------------|---------|---------|----------------|
| Portable medication box   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Point of Injury (POI) kit (must include two (2) windlass-style tourniquets, two (2) Russell chest seals, and two (2) hemostatic z-fold packing gauze) | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Emesis basin  | 2 each        | 2 each        | n/a     | n/a     | n/a            |
| Urinal  | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| Bedpan  | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| Blanket   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| DOT Emergency Response<br>Guide (ERG)   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Stair chair   | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| Gurney with 3 sets seatbelts  | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| Scoop stretcher   | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| Mega mover device   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Triage tags (County approved)   | 10 each       | 10 each       | 10 each | 10 each | 10 each        |
| Triage tape (all colors)  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Potable water (gallon)  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Reflective vest for road use for each crew member   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Map book containing San<br>Mateo County roadways  | 1 each        | 1 each        | n/a     | n/a     | n/a            |
| San Mateo County adult drug card  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| San Mateo County pediatric drug card  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Oxygen gaskets for regulator  | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |
| Oxygen regulator wrench   | 1 each        | 1 each        | 1 each  | 1 each  | 1 each         |

## VIII. RESTOCKING OF MEDICATIONS, MEDICAL SUPPLIES, AND EQUIPMENT

On-duty paramedics and EMS Supervisors are responsible for ensuring in-service ambulances and FRUs within their respective control comply with the requirements of this Policy and are always stocked with adequate levels of medications, medical supplies, and equipment. All prehospital providers share responsibility for restocking their assigned ambulance or first response apparatus. When needed, the on-duty EMS Supervisor will be requested to restock. The on-duty EMS Supervisor will ensure the timely resupply of ambulances or first response apparatus to maintain the minimum levels required by this Policy.

## IX. FIRST RESPONSE UNIT AND AMBULANCE INSPECTION AND RIDE ALONGS

The LEMSA reserves the right to inspect or ride along on any first response unit or ambulance utilized to respond to requests for service within the 9-1-1 system without prior notice. Any first response unit or ambulance that does not meet the standards outlined in this Policy shall not be permitted to respond to 9-1-1 requests for service. LEMSA reserves the right to reinspect any first response unit or ambulance identified to be non-compliant with this Policy prior to its return to operations in the provision of emergency medical services.

