



EMT-I AMBULANCE MINIMUM EQUIPMENT LIST

APPROVED: 
 EMS Medical Director


 EMS Administrator

- In addition to all minimum requirements of Title 13, California Administrative Code, each EMT-I ambulance shall have at least the minimum quantity shown in order to remain in service

	Minimum Quantity	Standard Quantity
Personal Protective Equipment		
Gloves: Sterile (sizes 5-8) (each)	2 pairs	4 pairs
Clean (pairs unisize)	4 pairs	1 box
Disposable Bags (Biohazard)	1	6

	Minimum Quantity	Standard Quantity
Patient Assessment and Examination Equipment		
Stethoscope	1	1
Portable Blood Pressure Cuff (adult, thigh, pediatric)	1	1

	Minimum Quantity	Standard Quantity
Medications		
Glucose Paste, Tube	1	1
Glucola, Bottle	1	1

Issue Date: April 1, 2002
 Effective Date: April 1, 2002
 Review Date: April 2004

Communication Equipment	Minimum Quantity	
Mobile Two-Way Radio Installed in Vehicle (one radio must be functioning)	1	
Airway Management Equipment	Minimum Quantity	Standard Quantity
Suction Catheters: Sizes: 16 14 10 8 Tonsil Tip	1 each	1 each
Suction Tubing (spare)	1	1
Portable Suction (battery powered) (Note: squeeze syringes do not satisfy this requirement)	1	1
Nasal Pharyngeal Airways: Sizes: 34 32 30 28	0	1 each
Oral Pharyngeal Airways Sizes: 0-6 (each) (or equivalent metric sizes)	1 each	1 each
Oxygen Nasal Cannula: Adult Pediatric	2 2	2 2
Oxygen Mask Non-rebreather : Adult	2	2
Oxygen Mask-Child	1	2
Oxygen Mask-Infant	1	1
Bag-Valve-Mask with reservoir: Adult Pediatric	1 1	2 1
Portable Oxygen with Regulator (Oxygen supply must be sufficient to provide a patient with not less than 10 L/min for 20 minutes)	1	1
Oxygen Gaskets for Portable		
O ₂ Wrench		

Issue Date: April 1, 2002
 Effective Date: April 1, 2002
 Review Date: April 2004

Bandaging and Splinting Equipment	Minimum Quantity	Standard Quantity
Sterile Bandage Compresses Or Equivalent	12	12
Petroleum Gauze Pads	2	2
Gauze Pads: Minimum Size 3"X 3"	12	12
Universal Dressings: 10" X 30" Or Larger	1	2
Triangular Bandages - 40"	1	4
Roller Bandages	6	6
Bandage Shears	1	1
Extremity Traction Splint (model optional)	1	1
Cervical Collar (stiff) (sizes to fit all patients > 1 year old)	1	2
Rigid Splints Capable of Splinting All Extremities	4	6
Spinal Immobilization Device W/Straps	2	4
Head Immobilizer	4	6
Sterile Burn Pack	1	1
Tape:	1/2" roll	2
	1" roll	2
	2" roll	2
Cold Packs	1	1
Cot/Stretcher Restraints Each cot/stretcher shall have a minimum of two straps to secure the patient and a means to secure the cot/stretcher to the vehicle.	2	2
Restraints, Ankle and Wrist Ankle and wrist restraints are required. Soft ties are acceptable. Law Enforcement type restraints are not acceptable.	1 set	1 set
Board for CPR (long or short back board)	1	1
Irrigation Solution		
Sterile saline: 1,000 cc	1	1
Sterile water: 1,000 cc	1	1

Issue Date: April 1, 2002
 Effective Date: April 1, 2002
 Review Date: April 2004

Other Equipment	Minimum Quantity	Standard Quantity
OB Kit Obstetrical supplies: Includes sterile gloves, umbilical cord clamp or tape, dressings, towels, bulb syringe, and clean plastic bags.	1	1
Emesis Basin	1	1
Covered Container	1	1
Bed/Fracture Pan	1	1
Urinal	1	1
Linen: Sheets: Required for each cot or stretcher Blankets: Required, cot size Pillows: Two required, with pillow cases Towels: Required for each cot or stretcher	4 2 2 3	6 2 2 6
Triage Tags, California Fire Chief's Association	10	30
Ambulance Cot/Gurney The ambulance shall have a cot with mattress	1	1
Stretcher: The ambulance shall have two stretchers, one of which is collapsible.	2	2
Maps: Thomas Brothers map coverage is required for the ambulance service area. Bay Area Medical Mutual Aid maps (when available).	1 0	1 1
Ambulance Size: All ambulances will have adequate space in the patient care compartment to accommodate one (1) stretcher patient and two providers. There must be sufficient space to allow for patient care		

Issue Date: April 1, 2002
 Effective Date: April 1, 2002
 Review Date: April 2004

Other Equipment	Minimum Quantity	Standard Quantity
activities during transport. Patient compartment door(s) must be operable from inside and outside.		
Safety Equipment		
Seat belts (4) Front compartment	2	2
Rear compartment (one on bench)	2	2
Other Equipment	Minimum Quantity	Standard Quantity
Spare Wheel with Inflated Tire	1	1
Jack And Tools for Wheel Change	1	1
Portable Light: Portable battery operated light shall be carried in the vehicle and must be in working order.	1	1
Heating and Air Conditioning -- Front and Rear	1	1
Approved Siren	1	1
Red Warning Lamp	1	1
Fire Extinguisher: The fire extinguisher must meet or exceed the required rating (minimum 4BC). The unit shall have a State Fire Marshall inspection tag attached valid for one (1) year from date of issuance. The unit shall be mounted in a conspicuous place or a clearly marked compartment and be readily accessible.	1	1

Issue Date: April 1, 2002
Effective Date: April 1, 2002
Review Date: April 2004