


Ventricular Assist Devices

Bay Area VAD Centers


Stanford – Palo Alto
 Lucile Packard – Palo Alto
 California Pacific Med. Ctr. – SF
 UC San Francisco – SF
 UC San Francisco – Mission Bay
 Kaiser Santa Clara – Santa Clara






General Treatment Protocols



Ventricular Assist Devices



VAD CENTER	VAD Coordinator
Stanford Health Care	(650) 723-6661
Lucille Packard Children's Hospital at Stanford	(650) 723-6661
California Pacific Medical Center – Davies Campus	(415) 600-1051
UC San Francisco	(415) 514-5823
Kaiser Santa Clara	(408) 851-3750



General Treatment Protocols

Pearls

- Patients may be cardioverted or defibrillated if symptomatic, but asymptomatic dysrhythmias do not require treatment.
- Chest compressions can be performed, but only if you are certain the pump is not working and/or no flow through the VAD.
- Treatment should otherwise follow appropriate treatment guidelines.
- Contact the Base Hospital with questions or if directed by patient's caregiver or LVAD Center personnel to do something outside of your protocol.
- If possible, the patient's family member or caregiver should accompany the patient in the ambulance, and all related VAD equipment, including spare batteries, should also be transported with the patient.
- In arrest situations, determine if a POLST/DNR or advanced directive is available. Many VAD patients have made end of life care decisions.