

OPTIONAL DONATED FOOD

LABEL



FRONT PLATE



COUNTY OF SAN MATEO
HEALTH SYSTEM

These products are NOT RECOMMENDED for consumers with food allergies since they are prepared on shared equipment. Please inform the donor if any person receiving or consuming this product has a food allergy.

Date:

Donor:

Weight (lbs)/Count:

Item:

USE FOR FOOD DONATIONS ONLY

If contents are frozen, see reheat standards on back.
Donation Questions: Call EHD NUMBER?
More Donation Information: INSERT EHD website

BACK PLATE

These products are NOT RECOMMENDED for consumers with food allergies since they are prepared on shared equipment. Please inform the donor if any person receiving or consuming this product has a food allergy.

IF CONTENTS ARE FROZEN FOOD - PROPERLY THAW & REHEAT FOOD BEFORE SERVING

Store Food at the Proper Temperature

THAW PROPERLY PRIOR TO REHEATING:

- Keep food at or below 40F during thawing process
- Reheat food within 24hrs after thawing

REHEATING TEMPERATURE STANDARDS:

- Rapidly heat food to an internal product temperature of 165F for at least 15 seconds
- Discard food if these temperature standards are not reached within 2hrs

USE FOR FOOD DONATIONS ONLY

Last updated: 2/14/2018, v1.0
Adapted from FDC



Center for
Climate Change & Health